

F1

comparing the color produced to a color chart with color blocks referenced to specific concentrations of HIV antibodies.

24. The method according to claim 23 wherein the said enzyme is selected from the group consisting of Galactodidase, Celllobiosidase, Arabinosidase, Fucosidase, Galactosaminidase, Glucosaminidase, Glucosidase, Glucuronidase, Lactosidase, Maltosidase, Mannosidase, or Xylosidase.

25. The method according to claim 23 wherein the said indicator substrate complex is selected from the group consisting of 5-bromo-6-chloro-3-indoxyl-beta-D-galactopyranoside, 4-Aminophenyl-beta-D-galactopyranoside, 3-indoxyl-beta-D-galactopyranoside, 5-Bromo-4-chloro-3-indoxyl-beta-D-galactopyranoside, 5-Bromo-3-indoxyl-beta-D-galactopyranoside, 6-chloro-3-indoxyl-beta-D-galactopyranoside, 6-Fluoro-3-indoxyl-beta-D-galactopyranoside, 8-Hydroxyquinoline-beta-D-galactopyranoside, 5-Iodo-3-indoxyl-beta-D-galactopyranoside, N-Methylindoxyl-beta-D-galactopyranoside, 2-Nitrophenyl-beta-D-galactopyranoside, 4-Nitrophenyl-beta-D-galactopyranoside, Naphthol AS-BI-beta-D-galactopyranoside, and 2-Naphthyl-beta-D-galactopyranoside or 4-Methylumbelliferyl-beta-D-glucuronic acid.

26. The method according to claim 23 wherein said buffer is selected from the group consisting of citrate, hepes, tris (trizma), taps, popso, tes, mops, mops, mes, bicine, bes, caps, epps, dipso, ches, capso, amps, aces, ada, bis-tris-propane, tapso, heppso, tea, amp, phosphate, phthalate, succinate, hydrochloric acid, sulfuric acid, nitric acid, acetic acid, sodium hydroxide, or potassium hydroxide.

27. A method for detecting HIV antibodies employing a dry chemistry test strip [means] to measure the HIV antibodies concentration in a [test sample] urine or blood without the use of ELISA and HPLC [, Western Blot and Thin Layer Liquid Phase] method[s] for analysis of HIV antibodies, wherein the said method comprises the steps of preparing a test means by successively impregnating an absorbent carrier matrix with reagent solutions [as follows] consisting essentially of ;

X2

f2

a) buffer, horseradish peroxidase conjugated to HIV antigen; and
b) buffer, tetramethylbenzidine, and urea peroxide,
drying said test means, dipping completed test means into test sample, and determining the quantity of HIV antibodies present in said test sample by comparing the relative intensity of the color produced by the reaction of HIV antibody to the test means and comparing the color produced to a color chart with color blocks referenced to specific concentrations of HIV antibodies.

28. The method according to claim 27 wherein said tetramethylbenzidine can be substituted with one of the following selected from the group consisting of 2,2'-Azino-di-(3-ethylbenzthiazolinesulfonic acid) diammonium salt, 3-Amino-9-ethyl carbazole, 2-5, dimethyl-2,5-dihydroperoxyhexane, Bis{4-[N-(3'-sulfo-n-propyl)-N-n-ethyl]amino-2,6-dimethylphenyl}methane, N-Ethyl-N-(2-hydroxy-3-sulfopropyl)-3-methoxyaniline, N-Ethyl-N-(3-sulfopropyl)-3-methoxyaniline, N-Ethyl-N-(2-hydroxy-3-sulfopropyl)aniline, N-Ethyl-N-(3-sulfopropyl)-3,5-dimethylaniline, N-Ethyl-N-(2-hydroxy-3-sulfopropyl)-3-methylaniline, N-Ethyl-N-(3-sulfopropyl)-3-methylaniline, N-(3-sulfopropyl)aniline, N-Ethyl-N-(2-hydroxy-3-sulfopropyl)-3,5-dimethoxy-aniline, N-Ethyl-N-(3-sulfopropyl)-3,5-dimethoxyaniline, N-Ethyl-N-(3-sulfopropyl)aniline, N-(2-hydroxy-3-sulfopropyl)-3,5-dimethoxyaniline, N-(3-sulfopropyl)-3,5-dimethoxyaniline, N-Ethyl-N-(2-hydroxy-3-sulfopropyl)-3,5-dimethylaniline, N,N-Bis(4-sulfobutyl)-3,5-dimethylaniline, pyrogallol, 4-aminoantipyrine, 2,4-Dichlorophenol, N,N-Diethyl-m-toluidine, p-Hydroxybenzenesulfonate, N,N-Dimethylaniline, 3,5-Dichloro-2-Hydroxybenzenesulfonate, Sodium N-Ethyl-N-(3-Sulfopropyl)-m-Anisidine, N-Ethyl-N-(2-hydroxy-3-Sulfopropyl)-m-toluidine 3-Methyl-2-benzothiazolinonhydrazone or Dimerethylaniline.

29. The method according to claim 27 wherein said buffer is selected from the group consisting of citrate, hepes, tris (trizma), taps, popso, tes, mops, tricine, mops, mes, bicine, bes, caps, epps, dipso, ches, capso, amps, aces, ada, bis-tris-propane, tapso, heppso, tea, amp, phosphate, phthalate, succinate, hydrochloric acid, sulfuric acid, nitric acid, acetic acid, sodium hydroxide, or potassium hydroxide.